

INDEX MAPS.

T. 9N, R. 5E. 2nd Mer.

Meanders 33

	7		7		6		6		6		5	
9	6	33	5	27	4	23	3	18	2	14	1	5
	32		32		27		22		18		14	
9	7	32	8	26	9	22	10	17	11	13	12	5
	31		31		26		22		17		13	
9	18	31	17	25	16	21	15	17	14	13	13	4
	30		30		25		20		17		12	
8	19	30	20	25	21	20	22	16	23	12	24	4
	29		29		24		20		16		11	
8	30	29	29	24	28	19	27	15	26	11	25	3
	28		28		23		19		15		10	
7	31	27	32	23	33	19	34	15	35	10	36	3
	1		1		1		2		2		2	

T. 10N, R. 5E. 2nd Mer.

	47		46		46		45		45		45	
49	6	73	5	66	4	62	3	57	2	53	1	44
	73		72		66		61		57		53	
48	7	72	8	65	9	61	10	57	11	52	12	44
	71		71		65		61		56		52	
48	18	70	17	65	16	60	15	56	14	52	13	44
	70		70		64		60		56		51	
48	19	69	20	64	21	59	22	55	23	51	24	43
	68		69		63		59		55		50	
47	30	68	29	63	28	59	27	54	26	50	25	43
	68		67		63		58		54		50	
47	31	67	32	62	33	58	34	54	35	49	36	43
	42		42		42		41		41		41	

(F) The figures on the lines refer to the page.

1

Township N. 9 North, Range N. 5 East 2. Mer. Indiana

Ch. Lk.

South Boundary

East On S. boundary of Sec. 31

- 4.90 a Red Oak 27 m. dia.
7.64 at Brook 10 lks. wide Course S.E.
40.00 Set q. Sec. post, from which
a Poplar 18 m. dia. bray S 59° W 11 lks. dist. of
a Beech 6 " " " N 25° W 10 " "
46.87 a P. Oak 24 " "
80.00 Set a post Cor. to Sec. 31 & 32, from which
a Beech 10 m. dia. bray S 56° W 10 lks. dist. of
a Do. 15 " " " N 9° W 14 " "
This mile over level land, timber Beech, Oak,
Poplar &c. Soil good
-

East On S. boundary of Sec. 32

- 10.60 a Poplar 40 m. dia.
23.93 a W. Oak 36 " "
40.00 Set q. Sec. post, from which
a Maple 15 m. dia. bray - 70 1/2° N 22 lks. dist. of
a Do. 10 " " " S 68° E 8 " "
57.68 a P. Oak 12 " "
77.97 an Ash 20 " "
80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 59 m. dia. bray N 9° E - lks. dist. of
an Ash 10 " " " S 40° W 22 " "
This mile over level land low grounds, timber
Beech, Oak, Ash, &c. undy. ^{to} same, Soil good
-

East On S. boundary of Sec. 33

- 20.42 an Ash 20 m. dia.
40.00 Set q. Sec. post, from which
a Beech 9 m. dia. bray S 75° W 8 lks. dist. of
a Do 9 " " " N 26° W 6 " "

Tg N - R5 E. 2^d. Mer. Indiana

Ch. Lk.

72.83 a Beech 12 mi. dist.

80.00 Set a post Cor. to Sec. 33 & 34, from which
a Beech 6 mi. dist. bear S 52° W 4 lks. dist. of
a Do. 15 " " " N 26° E 29 " "This mile is Over level land, timber Beech, Poplar
ye. undgth. Spruce & sparrow, Soil good

East On S. boundary of Sec. 34

23.43 a Beech 15 mi. dist.

40.00 Set q. Sec. post, from which
a Beech 6 mi. dist. bear N 39° W 19 lks. dist. of
a Do. 18 " " " S 3½° E 17 " "

62.90 a Beech 14 " "

80.00 Set post Cor. to Sec. 34 & 35, from which
a Sugar 20 mi. dist. bear N 64° W 16 lks. dist. of
a Beech 12 " " " N 19° W 30 " "This mile is Over level land, timber Beech, Poplar
Sugar ye. undgth. Spruce ye. Soil good

East On S. boundary of Sec. 35

13.52 a Beech 15 mi. dist.

40.00 Set q. Sec. post, from which
a Beech 7 mi. dist. bear — 30° W 6 lks. dist. of
a Do. 24 " " " N 39½° E " "

51.00 a Poplar 30 " "

80.00 Set post Cor. to Sec. 35 & 36, from which
a Locust 27 mi. dist. bear S 73½° E 5 lks. dist. of
a Sugar 12 " " " N 31° W 12 " "Over level land, timber Poplar, Walnut, Sugar ye.
undgth. Spruce, Rich Soil

East On S. boundary of Sec. 36

21.05 a Spanish Oak 27 mi. dist.

T9 N R25 E. D. Mer. Indiana

ch. Lk.

40.00 Let gr. Sec. post, from which
a Hackberry 13 mi. dir. bear N 35 W 4 lks. dist. of
a Beech 6 " " " N 18 W 7 " "

48.80 to a Pond 300 lks. wide

80.00 Let post Cor. to Township N. 8 of 9 North, Range
N. 5 of 6 East, from which

a Sycamore 27 mi. dir. bear S 74 E 15 lks. dist. of
a Do. 30 " " " N 43 E 31 " "

First $\frac{1}{2}$ mile good land - last $\frac{1}{2}$ wet, timber
Walnut, Hackberry &c. undergth Spruce, Soil good

June 9th 1879

East Boundary

North On E. boundary of Sec. 36

1.10 Let meander post on Right bank of River, from which
a Poplar 10 mi. dir. bear S 7 E 44 lks. dist. of
a Sycamore 15 " " " S 48 E 35 " "

6.40 Let meander post on left bank river from which
a Cottonwood 4 mi. dir. bear S 44 W 27 lks. dist. of
no other tree

18.30 Intersected the river & up the same

35.00 leave the River

40.00 Let gr. Sec. post, from which
an Elm 36 mi. dir. bear N 36 W 5 lks. dist. of
a Do. 15 " " " N 30 E 10 " "

80.00 Let post Cor. to Sec. 25 of 36, from which
a Buckeye 10 mi. dir. bear S 80 W 6 lks. dist. of
a Do. 7 " " " N 13 E 30 " "

Over low ground part overflows, timber Beech
Sycamore, Blue Ash, &c. undergth same, grape-
viny Soil good

North On E. boundary of Sec. 25

Sgt. R. E. D. Mer. Indiana

ch. Lk.

40.00 Let q. Sec. post, from which
a Beech 6 mi. dist. by N 31° E 10 lks. dist. of
a Beech 6 " " " N 13° E 10 " "

59.26 a Beech 27 " "

74.10 a Creek 75 lks. wide course S. W.

80.00 Let post Cor. to Sec. 24 & 25, from which
a Beech 30 mi. dist. by N 64° E 25 lks. dist. of
a Do 30 " " " S 79° W 35 " "
Over low ground, timber Beech, Blue Ash,
Hackberry &. undugth Spruce, spruce &c.

North On E. boundary of Sec. 24

40.00 Let q. Sec. post, from which
a Beech 9 mi. dist. by S 49° W 4 lks. dist. of
a Do. 5 " " " S 84° W 8 " "

49.74 a Beech 24 " "

80.00 Let post Cor. to Sec. 13 & 24, from which
a Beech 9 mi. dist. by S 19° W 6 lks. dist. of
an Ash 4 " " " S 26° W 24 " "
Over level ground, timber Beech, B. Walnut
Blue Ash &c. undugth Spruce Soil good

North On E. boundary of Sec. 13

15.62 a Beech 18 mi. dist.

40.00 Let q. Sec. post, from which
a Beech — mi. dist. by S 16° E 21 lks. dist. of
a Do. 15 " " " N 29° W 24 " "

62.00 a Beech 20 " "

80.00 Let post Cor. to Sec. 12 & 13, from which
a Blue Ash 12 mi. dist. by S 89° W 8 lks. dist. of
a Sugar 10 " " " N 3° W 15 " "
This mile over level ground, timber Beech, Blue
Ash & Walnut, undugth Spruce, Hackberry &c. rich soil.

S 9 N R 5 E. 2^d. Mer. Indiana

ch^d. Lks.

North On E. boundary of Sec. 12

15.56 a Blue Ash 6 in. dia.

40.00 Set gr. Sec. post, from which

a Sugar 15 in. dia. bear N 34 E 5 lks. dist. of

a No 9 " " " S 40 W 22 " "

59.30 a W. Oak 20 " "

80.00 Set post Cor. to Sec. 1 & 12, from which

a Logwood - in. dia. bear N 49 W 14 lks. dist. of

a Hickory 6 " " " S 16 E 8 " "

Over level land, timber Beech, Walnut, Ash
rich soil

North On E. boundary of Sec. 1.

8.85 a Hickory 15 in. dia.

40.00 Set gr. Sec. post, from which

a Hickory 12 in. dia. bear N 70 E 12 lks. dist. of

a Gum 7 " " " S 67 W 14 " "

77.74 To the Township Corner as established on
the East & West line

(Description of land &c. Omitted)

June 9th 1879

North Boundary.

West On S. boundary of Sec. 36, T 10 N. R 5 E.

40.00 Set gr. Sec. post, from which

a Sugar 12 in. dia. bear S 84 E 9 lks. dist. of

a Red bud 3 " " " N 28 W 7 " "

gr. Sec. post stands on bank of Flat rock river
Course South

80.00 Set post Cor. to Sec. 35 & 36, T 10 N. R 5 E, from which

a Beech 12 in. dia. bear N 48 W 20 lks. dist. of

a Sugar 10 " " " S 25 E 17 " "

Over rich land, timber Ash, Beech, Sugar & Spruce

T9 N R5 E. 2^d. Mer. Indianach^d. Lth.

Nest On S. boundary of Sec. 35, T10 N. R5 E.

40.00 Let of Sec. post, from which

a Cherry 10 in. dia. - bray S76 E 2 lth. dist. of
a Hackberry 6 " " " N80 W18 " "

80.00 Let post cor. to Sec. 34 & 35, T10 N. R5 E, from which

a Beech 12 in. dia. - bray S83 W26 lth. dist. of
a do. - " " " N52 E9 " "Over rich land, timber Beech, Sugar, Ash &c.
undergrowth Spice &c.

Nest On S. boundary of Sec. 34, T10 N. R5 E.

40.00 Let of Sec. post, from which

an Elm 24 in. dia. - bray S24 W18 lth. dist. of
a Beech 14 " " " N16 W16 " "

70.00 Let meander post on River, from which

a Sycamore 12 in. dia. - bray S55 E18 lth. dist. of
no other tree80.00 Let a post cor. to Sec. 33 & 34, T10 N. R5 E. on the
River bank, from whicha Sugar 12 in. dia. - bray S41 W18 lth. dist. of
an Ash 18 " " " N63 W24 " "

(Description of Land &c. Omitted)

Nest On S. boundary of Sec. 33, T10 N. R5 E.

10.00 Let post on left Bank of River 489 lth. wide from whicha Sycamore 12 in. dia. - bray N65 E2 lth. dist. of
a Maple 6 " " " S65 W3 " "

14.89 Let post on Right bank of River, from which

a Beech 4 in. dia. - bray N11 E9 lth. dist. of
a do. 10 " " " N33 W6 " "28.89 a Creek 30 lth. wide Comes S. E.

40.00 Let of Sec. post, from which

a Hickory 8 in. dia. - bray S15 W22 lth. dist. of

7

T9 N. R5 E. T. Mer. Indiana

ch. & lks.

a Poplar 14 in. dia. bear 166 E 34 lks. dist. of
 66.60 a Creek 30 lks wide Course N. E.
 80.00 Set post Cor. to Sec. 32 & 33, T10 N. R5 E, from which
 a Beech 8 mi. dia. bear 259 W 13 lks. dist. of
 a Do 11 " " " N 35 E 16 " "
 (Description of land &c. Omitted) June 17th 1819

West On S. boundary of Sec. 32, T10 N. R5 E
 40.00 Set q. Sec. post, from which
 a Hickory 10 in. dia. bear 179 W 4 lks. dist. of
 a Do. 18 " " " N 41 E 9 " "
 80.00 Set post Cor. to Sec. 31 & 32, T10 N. R5 E, from which
 a Poplar 24 in. dia. bear 156 W 9 lks. dist. of
 a Beech 8 " " " N 71 E 8 " "
 Over good farming land, timber Beech, Poplar &c.

West On S. boundary of Sec. 31, T10 N. R5 E.
 40.00 Set q. Sec. post, from which
 a Beech 12 in. dia. bear 175 E 31 lks. dist. of
 an Oak 20 " " " N 75 W 13 " "
 80.00 Intersected the N. boundary 83 lks. S. of post.
 Set a post Cor. to Township N. 9 of 10 North, of
 Range N. 4 & 5 E. from which
 a Beech 12 in. dia. bear N 28 E 18 lks. dist. of
 a Do. 8 " " " S 21 E 18 " "
 Over good farming land timber Beech, Oak,
 Poplar &c. June 17th 1819

West Boundary var. T. E.

North On E. boundary of Sec 36, T9 N. R4 E.
 4.80 a Branch 8 lks. wide Course S. E.
 15.14 a Beech 24 in. dia.
 40.00 Set q. Sec. post, from which

T9 N R5 E. 2^d. Mer. Indianach^d. Lk^y

- a Chestnut Oak 10 in. diam. bray S58 W20 lks. dist. of
 a Gum 14 " " " N58 E12 " "
 47.25 a Hickory 18 " "
 55.10 a Branch 6 lks. wide Course S.E.
 65.56 a Hickory 24 in. diam.
 80.00 Set post cor. to Sect. 25 of 36, T9 N. R4 E, from which
 a Hickory 9 in. diam. bray N71 W6 lks. dist. of
 a W. Oak 48 " " " S34 W14 " "
 Rolling land timber Beech, Hickory, Poplar
 &c. undergth. Dogwood.

North On E. boundary of Sec. 25, T9 N. R4 E.

- 23.00 a Branch 8 lks. wide Course S.E.
 23.40 an Elm 24 in. diam.
 40.00 Set q^r. Sec. post, from which
 a Beech 15 in. diam. bray N51 W20 lks. dist. of
 a Do. 18 " " " S52 E22 " "
 59.90 a Red Oak 36 " "
 72.75 a W. Oak 36 " "
 80.00 Set post cor. to Sect. 24 & 25, T9 N. R4 E, from which
 a W. Oak 18 in. diam. bray S10 W21 lks. dist. of
 a Ches^t. Oak 6 " " " N11 E10 " "
 Over rolling land, timber Beech & Oak,
 undergth. Dogwood briars &c.

North On E. boundary of Sec. 24, T9 N. R4 E.

- 31.70 a Creek 50 lks. wide Course S.E.
 40.00 Set q^r. Sec. post, from which
 a Beech 9 in. diam. bray N64 W12 lks. dist. of
 a Gum 24 " " " N19 E8 " "
 62.75 a Beech 20 " "
 80.00 Set post cor. to Sect. 13 & 24, T9 N. R4 E, from which
 a W. Oak 20 in. diam. bray S55 W8 lks. dist. of

T9 N. R5 E. 2nd Mer. Indiana

9

Ch. Lk.

a Dogwood 6 in. dia. bear N 35 1/2 W 8 lks. dist. of
Over Rolling land, timber, Beech, Oak &c.
undergth Ironwood &c. Soil good.

North On E. boundary of Sec. 13, T9 N. R4 E.

16.14 a Branch 8 lks. wide Course S. E.

32.75 a Hickory 14 in. dia.

40.00 Let g^r. Sec. post, from which
an Ironwood 3 in. dia. bear S 60 W 6 lks. dist. of
a Beech 7 " " " S 61 E 20 " "

53.70 a Creek 30 lks. wide Course S. E.

60.00 a Beech 18 in. dia.

80.00 Let post Cor. to Sec. 12 & 13, T9 N. R4 E, from which
a Beech 6 in. dia. bear S 23 W 13 lks. dist. of
a do. 27 " " " N 29 E - " "
First 1/2 mile level land, last 1/2 broken, timber
Beech & Oak, undergth Ironwood

North On E. boundary of Sec. 12, T9 N. R4 E.

16.23 a W. Oak 40 in. dia.

27.05 a Creek 30 lks. wide Course S. E.

40.00 Let g^r. Sec. post, from which
a Beech 20 in. dia. bear S 57 1/2 W 9 lks. dist. of
a do. 30 " " " N 15 W 13 " "

63.12 a W. Oak 15 " "

80.00 Let post Cor. to Sec. 1 & 12, T9 N. R4 E, from which
a Beech 14 in. dia. bear S 24 1/2 W 5 lks. dist. of
a W. Oak 36 " " " N 17 E 41 " "
This mile Over broken land, timber Oak, Beech
&c. undergth Sassafras & Greenbrier, Soil good

North On E. boundary of Sec. 1, T9 N. R4 E

1.42 a Red Oak 30 in. dia. bear

T9 N. R5 E. 2^d. Mer. Indiana

ch. Lks.

- 16.80 a Branch 6 lks. wide Course S. E.
 40.00 Let gr. Sec. post, from which
 a Dogwood 8 in. diam. branch N 31 W 17 lks. dist. of
 a Do. 5 " " " N 36 E 18 " "
 44.52 a W. Oak 30 " "
 79.17 Let a post cor. to Township 9 & 10 North, of
 Range N. 4 & 5 E. from which
 a Beech 12 in. diam. branch N 28 E 18 lks. dist. of
 a Do. 8 " " " N 21 E 18 " "
 (Description of Land &c. Omitted)
 June 6th. 1819. John M. Donald, L. S.

Subdivision. var. E. 30' E.

- North Between Sec. 35 & 36, T9 N. R5 E.
 30.74 a Sugar 12 in. diam.
 40.00 Let gr. Sec. post, from which
 a Locust — in. diam. branch N 75 W 10 lks. dist. of
 a Sugar — " " " N 39 W 10 " "
 57.10 a Bur Oak 10 " "
 80.00 Let post cor. to Sec. 25, 26, 35 & 36, from which
 a Blue Ash 18 in. diam. branch N 73 E 14 lks. dist. of
 a Bur Oak 8 " " " N 75 W 20 " "
 First rate Bottom, Sugar, Ash, Hackberry, Buck-
 eye, &c. underg. th Spruce

East On Random between Sec. 25 & 36

- 40.00 Let temp. gr. Sec. post,
 65.00 to W. bank of Driftwood Fork of White River
 71.25 to East bank of Do Do Do Do
 81.88 Intersected E. boundary 250 lks. S. of post
 1st 1/2 mile 1st rate — last 1/2 mile low bottom, timber
 Sugar, Ash, Locust, Sycamore &c underg. th Spruce

Township 125 E. 2^d Mer. Indiana

11

Ch. 2nd

- West Corrected between Sec. 25 & 36
 10.63 Set Meander post on Left bank of River, on
 a Willow point - no bearing trees
 16.88 Set Meander post on Right bank of river, from which
 a Sycamore 18 in. diam. bearing N 58 E 42 lks. dist. of
 a Willow 12 " " " East 6 " "
 40.94 Set q. Sec. post at average dist. from which
 a Poplar 12 in. diam. bearing N 58 E 42 lks. dist. of
 a Hackberry 24 " " " S 55 E 60 " "
 81.88 to Sec. Corner.

North Between Sec. 25 & 26,

- 19.40 a Hickory 16 in. diam.
 40.00 Set q. Sec. post, from which
 a Buckeye 16 in. diam. bearing N 64 E 11 lks. dist. of
 a Do. 10 " " " S 43 N 25 " "
 64.15 a Do. 12 " "
 80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which
 a Hackberry 18 in. diam. bearing S 22 N 19 lks. dist. of
 a Do. 10 " " " N 20 E 11 " "
 Land 1st rate, timber Hickory, Elm, Walnut,
 Sugar, Bur Oak &c. undergnd Spice

East On Rand^m. between Sec. 24 & 25

- 10.39 to W. bank of Driftwood Fork of W. River
 17.89 to E. bank of River
 40.00 Set temp^y. q. Sec. post
 81.80 Intersected the E. boundary 258 lks. S. of post
 River bottom 1st rate Beech, Sugar, Ash &c.
 undergnd Spice &c.

West Corrected between Sec. 24 & 25

- 40.90 Set q. Sec. post, from which (at average dist.)

Tg. N. - R5 E. 2nd Mer. Indiana

- a Beech 5 in. dia. - bray S 7 E 5 lks. dist. of
 a W. Oak 24 " " " N 65 W 38 " "
 63.91 Set meander post on Left bank of river from which
 a Cottonwood 6 in. dia. - bray N 18 W 6 lks. dist. of
 a Do. 6 " " " S 70 E 12 " "
 71.41 Set meander post on Right bank of river from which
 a Hackberry 6 in. dia. - bray S 44 E 18 lks. dist. of
 a W. Elm 12 " " " West 21 " "
 81.80 to Sec. Corner.

North Between Sec. 23 & 24

- 10.62 Set meander post on Right bank of river from which
 a Buckeye 10 in. dia. - bray N 34 W 7 lks. dist. of
 a Do. 12 " " " S 12 E 19 " "
 18.50 Set meander post on Left bank of river from which
 a W. Elm 18 in. dia. - bray S 8 E 18 lks. dist. of
 a Hackberry 24 " " " N 10 E 44 " "
 40.00 Set q. Sec. post, from which
 a Red Bud 6 in. dia. - bray S 84 E 25 lks. dist. of
 a W. Ash 3 " " " S 80 W 9 " "
 42.50 to Flat Rock river 100 lks. wide Course S 80 W
 80.00 Set post cor. to Sec. 13 & 14, 23 & 24 from which
 a Lycamore 30 in. dia. - bray N 19 W 38 lks. dist. of
 a Do. 24 " " " N 66 W 78 " "
 Land low bottom, Lycamore, Cottonwood, Hickory &c.

East On Rand. between Sec. 13 & 24

- 5.50 to Flat rock river - lks. wide Course S.
 10.00 enter new fallen timber
 40.00 Set temp. q. Sec. post
 81.60 Intersected the E. boundary 245 lks. S. of post
 Level 1st rate land, timber generally blown down

Sgt. R. S. E. J. Mer. Indiana

13

West Corrected between Sec. 13 & 24
 40.80 Set q. Sec. post at average dist. from which
 a Hickory 8 m. dia. by N 69 N 34 E dist. of
 a B. Oak 6 " " " N 36 E 37 " "
 81.60 to Sec. Corner.

North Between Sec. 13 & 14
 19.85 a Hickory 8 m. dia.
 20.50 enter new fallen timber
 40.00 Set q. Sec. post in fallen timber - no bearing trees
 76.00 leave fallen timber
 80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
 a Sugar 10 m. dia. by N 70 E 32 E dist. of
 a No. 18 " " " North 4 " "
 Level 1st rate, Beech, Sugar, Poplar &c. making
 Spice &c. Oct. 3rd 1819

East On Rand^m between Sec. 12 & 13
 24.00 to Flat Rock River Course S.
 40.00 Set temporary q. Sec. post
 81.68 Intersected the E. boundary 244 lrs. E. of post
 1st rate live land, Beech, Sugar, Elm, Cherry
 Ash &c. underg^d Spice

West Corrected between Sec. 12 & 13
 40.84 Set q. Sec. post at average dist. from which
 a Beech 18 m. dia. by N 30 W 25 E dist. of
 a No. 20 " " " N 75 E 13 " "
 81.68 to Sec. Corner.

North Between Sec. 11 & 12
 24.90 a Hickory 24 m. dia.
 40.00 Set q. Sec. post, from which

T9N R5E. 2^d. Mer. Indiana

a Beech 18 m. diar. bray 153 N 28 W. dist. of
 a do. 16 " " " N 21 E 42 " "
 61.00 a Gum 24 " "
 80.00 Set post Cor. to Sec. 1, 2, 11, & 12, from which
 a Beech 15 m. diar. bray 153 E 9 W. dist. of
 a Sugar 15 " " " N 38 W 30 " "
 1st rate bottom land, Sugar, Hickory, ash &c.
 under 2nd price.

East On Rand^m. between Sec. 1 & 12
 25.00 To Flat rock river Course S.
 40.00 Set temp^y. q^r. Sec. post
 81.93 Intersected the E. boundary 231 W. S. of post
 Land 2^d rate, Beech, Ash, Sugar, Oak
 Hickory &c. under 2nd price

West Corrected between Sec. 1 & 12
 40.96 Set q^r. Sec. post at average dist. from which
 a Beech 12 m. diar. bray North 8 W. dist. of
 a do. 13 " " " S 51 E 13 " "
 56.93 to Flat rock river Course S.
 81.93 to Sec. Corner

North Between Sec. 1 & 2
 22.18 a Sugar 18 m. diar.
 40.00 Set q^r. Sec. post, from which
 a Beech 15 m. diar. bray N 49 W 16 W. dist. of
 an Elm 18 " " " East 9 " " "
 59.33 a Beech 12 " "
 82.31 Intersected N. boundary 190 W. of post
 Set a post Cor. to Sec. 1 & 2, from which
 a Beech 10 m. diar. bray N 81 E 15 W. dist. of
 a Sugar 12 " " " N 35 W 24 " "

Township 5 E. 2^d Mer. Indiana

15

Level 1st rate land, Beech, Sugar, Ash, Poplar
undergth Spice &c.

North Between Secs. 34 & 35

26.66 a Sugar 20 in. dia.

40.00 Set of Sec. post, from which
a Beech 18 in. dia. bray S 70 E 36 lks. dist. of
a W. Elm 15 " " " N 70 W 18 " "

69.08 a Red Oak 24 " "

80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which
a Beech 8 in. dia. bray S 20 E 15 lks. dist. of
a Cr. 6 " " " N 60 W 3 " "

Land 1st rate, Beech, Sugar, Ash, Oak, Walnut
&c. undergth Spice &c.

East On Random between Secs. 26 & 35

40.00 Set temp^y of Sec. post

79.60 Intersected the N & S line 82 lks. S. of post
level 1st rate land, Ash, Walnut, Hackberry
Locust, Sugar &c. undergth Spice

West Connected between Secs. 26 & 35

39.80 Set of Sec. post at average dist. from which
a Walnut 15 in. dia. bray N 80 E 13 lks. dist. of
a Sugar 10 " " " N 40 W 10 " "

79.60 to Sec. Corner. Oct. 4th 1819

North Between Secs. 26 & 27

19.95 a Beech 20 in. dia.

40.00 Set of Sec. post, from which
a Sugar 12 in. dia. bray S 85 W 7 lks. dist. of
a Hickory 30 " " " N 67 E 27 " "

63.90 a Hickory 24 " "

T9N R5E. 2.^d Mer. Indiana

80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which
 a Buckeye 8 in. diam. bray S 75° W 8 lks. dist. of
 a Sugar 30 " " " East 18 " "
 Level 1st rate land, Sugar, Beech, Hickory
 Hackberry, Buckeye &c. undg.th Spice

East On Rand^m. between Sec. 23 & 26

40.00 Set temp^y. gr. Sec. post

80.00 Intersected the N & S. line 122 lks. S. of post
 Land 1st rate, Sugar, Hackberry, Ash, Oak &c.

West Corrected between Sec. 23 & 26

40.00 Set gr. Sec. post at average dist. from which
 a Sugar 20 in. diam. bray N 63° W 59 lks. dist. of
 a Buckeye 12 " " " S 48° E 55 " "

80.00 to Sec. Corner.

North Between Sec. 22 & 23

21.60 a Sugar 18 in. diam.

32.93 Set meander post on right bank of Driftwood, from which
 a Wolfelder — in. diam. bray N 70° W 19 lks. dist. of
 an Elm 10 " " " S 48° E 20 " "

38.60 Set meander post on left bank of Driftwood, from which
 a Hackberry 15 in. diam. bray N 58° E 21 lks. dist. of
 a Hickory 20 " " " N 80° W 16 " "

40.00 (gr. Sec. post of Bearings Omitted)

61.90 a Beech 20 in. diam.

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
 a Beech 8 in. diam. bray S 38° W 5 lks. dist. of
 a Aho. 10 " " " S 39° E 27 " "

1st 1/2 mile level — last 1/2 mile rolling 1st rate land
 Beech, Walnut, Hackberry, undg.th Spice

S 9 N R 5 E 2nd Mer. Indiana

17

East On Random between Sec^s. 14 & 23

40.00 Set temp. q. Sec. post

80.20 Intersected the N. & S. line 1.30 lks. South of post
level 1st rate. Land Beech Walnut Hackberry ash
buckeye undergrowth Spice

West Corrected between Sec^s. 14 & 23

40.10 Set q. Sec. post at average dist. from which
a W. Ash 14 in. dia. bears S 76 E 24 lks. dist.
a Do. 26 " " " S 27 E 35 " "

80.20 To Section Corner

North Between Sec^s. 14 & 15.

26.50 Enter fallen timber

40.00 Set post in fallen timber no bearing trees

80.00 Set post Cor. to Sec^s. 10, 11, 14 & 15, from which
a Beech 10 in. dia. bears S 12 W 34 lks. dist. &
a W. Ash 6 " " " North 10 " "
Level 2nd rate Land timber generally blown down

East On Random between Sec^s. 11 & 14.

40.00 Set temp. q. Sec. post

80.05 Intersected the N. & S. line 1.43 lks. South of post
Level 1st rate land Sugar Walnut Beech &c.

West Corrected between Sec^s. 11 & 14.

40.02 Set q. Sec. post at average dist. from which
a Walnut 15 in. dia. bears West 16 lks. dist. &
a Sugar 12 " " " N 67 E 21 " "

80.05 to Section Corner

North Between Sec^s. 10 & 11.

7.50 left fallen timber

T9 N R5 E, 2^d Mer. Indiana

- 19.75 a Poplar 36 in. dia.
 40.00 Set q. Sec. post, from which
 a Sugar 12 in. dia. bears S 6 W 14 lks. dist. &
 a Beech 10 " " " N 41 E 6 " "
 56.90 a Blue Ash 15 " "
 80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
 a Beech 12 in. dia. bears N 88 E 28 lks. dist. &
 a Do. 30 " " " N 30 W 30 " "
 level 1st rate land Sugar Beech poplar Ash
 Undergrowth Spice. October 5th 1819

- East On Random between Sec. 2 & 11.
 40.00 Set temp. q. Sec. post
 80.11 Intersected the N. & S. line 1.70 lks. South of post
 Rolling 2^d rate land Beech Sugar Poplar Ash
 Undergrowth Spice

- West Corrected between Sec. 2 & 11.
 40.05 Set q. Sec. post at average dist. from which
 a Beech 12 in. dia. bears S 30 W 13 lks. dist. &
 a Sugar 12 " " " S 80 E 7 " "
 80.11 to Section Corner

- North Between Sec. 2 & 3.
 23.00 a W. Ash 30 in. dia.
 40.00 Set q. Sec. post., from which
 a Beech 11 in. dia. bears S 8 E 24 lks. dist. &
 a W. Elm 12 " " " N 10 W 12 " "
 61.60 a W. Ash 20 " "
 82.20 Intersected the N. boundary 1.78 lks. West of post
 Set post Cor. to Sec. 2 & 3, from which
 a Beech 10 in. dia. bears N 72 W 18 lks. dist. &
 a Bur Oak 15 " " " S 74 E 37 " "

T9N-R5E-T^h. Mer. Indiana

Level 2nd rate land Beech Ash Sugar Poplar &c.
undergrowth Spice

North Between Sec^s. 33 & 34.

19.30 a Poplar 40 in dia^r.

40.00 Set q^r. Sec. post, from which
a Beech 15 in. dia^r. bears S 11 E 19 lks. dist. &
a No 12 " " " N 20 W 20 " "

63.70 a Gum 15 " "

80.00 Set post Cor. to Sec^s. 27, 28, 33 & 34, from which
a Sugar 15 in. dia^r. bears S 89 W 36 lks. dist. &
a Beech 10 " " " N 82 E 18 " "
Rolling 2nd rate land Beech Sugar Oak Poplar &c.
undergrowth Spice.

East On Random between Sec^s. 27 & 34

40.00 Set temp^y. q^r. Sec. post

60.50 Intersected the N. & S. line 200 lks. dist. &
Beech Oak poplar Sugar &c. Rolling 2nd rate land
undergrowth Spice

West Corrected between Sec^s. 27 & 34.

40.25 Set q^r. Sec. post at average dist. from which
a Locust 18 in. dia^r. bears S 40 W 26 lks. dist. &
a W. Oak 24 " " " N 30 W 23 " "

80.50 to Section Corner

North Between Sec^s. 27 & 28.

27.53 a Beech 15 in. dia^r.

40.00 Set q^r. Sec. post, from which
a W. Oak 30 in. dia^r. bears S 15 E 40 lks. dist. &
a Beech 12 " " " S 47 W 27 " "

59.04 a Beech 12 " "

T9N R5E. 2^d. Mer. Indiana

80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which
 a R. Oak 40 in. dia^l. bears S45 E 15 hr. dist. &
 a Beech & " " " N15 E 10 " "
 first ^{1/2} mile rolling 2^d. rate land last ^{1/2} level 1st.
 rate Beech Oak Ash Sugar poplar &c. undg^d. Spice
 October 6th 1819

East On Rand^m between Secs. 22 & 27

40.00 Set temp^y. g. Sec. post

80.35 Intersected the N of S. line 23 1/2 hr. S. of post
 Land level 1st. rate, Sugar, Ash, Walnut &c.
 undg^d. Spice &c.

West Corrected between Secs. 22 & 27

40.17 1/2 Set g. Sec. post at average dist. from which
 a Red Locust 18 in. dia^l. bears S42 W 24 hr. dist. &
 a Beech 24 " " " N30 W 23 " "

80.35 to Sec. Corner

North Between Secs. 21 & 22

34.37 a Hackberry 12 in. dia^l.

40.00 Set g. Sec. post, from which

a Hickory 18 in. dia^l. bears S10 E 28 hr. dist. &

a Sugar 24 " " " N45 W 40 " "

71.50 a Hickory 12 " "

80.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which

a Beech 30 in. dia^l. bears N74 W 20 hr. dist. &

a Aho. 24 " " " S18 W 37 " "

1st. rate Bottom, Beech, Walnut, Hickory, Hack-
 berry & undg^d. Spice

East On Rand^m between Secs. 15 & 22

13.40 to N. bank of Whitewood River

36.10 to E. bank of Driftwood River
 40.00 Set tempy. gr. Sec. post
 80.46 Intersected the N & S. line 227 lns. S. of post
 River & low bottom, Sycamore, Hackberry
 Buckeye

West Corrected between Sec. 15 & 22
 40.23 Set gr. Sec. post at average dist. from which
 a W. Ash 30 in. dia. bray N 80 W 39 lns. dist. of
 a Sugar 24 " " " S 7 E 6 " "
 44.36 Set meander post on left bank of river from which
 a Hackberry 10 in. dia. bray N 69 W 21 lns. dist. of
 a Poplar 6 " " " S 10 W 10 " "
 67.06 Set meander post on right bank of river from which
 a W. Walnut 8 in. dia. bray N 10 W 14 lns. dist. of
 a Hornbeam 6 " " " S 10 W 7 " "
 80.46 to Sec. Corner.

North Between Sec. 15 & 16
 37.50 Set meander post on right bank of river from which
 a Poplar 15 in. dia. bray S 32 E 8 lns. dist. of
 a Mulberry 8 " " " West 35 " "
 40.00 gr. Corner in the River
 40.58 Set meander post on left bank of river, on a point
 Covered with small bushes - no bearing trees
 42.00 enter new fallen timber
 60.82 a Beech 18 in. dia.
 80.00 Set post cor. to Sec. 9, 10, 15 & 16, from which
 a Bur Oak 33 in. dia. bray S 44 W 62 lns. dist. of
 a W. Elm 30 " " " N 6 W 2 " "
 Low bottom, Hackberry, Sycamore, Poplar
 Elm & Buckeye

T9 N R5 E. 2^d Mer. Indiana

East On Rand^m. between Sec^s. 10 & 15

40.00 Set temp^y. q^r. Sec. post.

80.36 Intersected the N & S. line 225 l^y. S. of post
all the way through fallen timber
Level 2^d rate land, timber generally blown down.

West Corrected between Sec^s. 10 & 15

40.18 Set q^r. Sec. post at average dist in fallen
timber no bearing trees

80.36 to Sec. Corner

North Between Sec^s. 9 & 10,

25.75 a Sycamore 40 in. dia.

28.00 leave fallen timber

40.00 Set q^r. Sec. post from which

a Beech 15 in. dia. bear West 17 l^y. dist. of

a No. 18 " " " N 47 E 18 " "

73.62 to left bank of Bluffwood R. Set post, from which

a Sycamore 30 in. dia. bear N 45 E 23 l^y. dist. of

a W. Ash 6 " " " S 85 E 28 " "

80.00 Cor. to Sec^s. 3, 4, 9 & 10 in. River

Level 1st rate land, Beech, Sugar, Ash, Walnut.

East On Rand^m. between Sec^s. 3 & 10

4.10 to E. bank of River

40.00 Set temp^y. q^r. Sec. post

80.25 Intersected the N & S. line 250 l^y. S. of post

Land level 1st rate, Beech, Ash, Walnut

Chickory &c. undergth Spruce

West Corrected between Sec^s. 3 & 10

40.12 1/2 Set q^r. Sec. post at average dist. from which

a Chickory 12 in. dia. bear N 80 E. 6 l^y. dist. of

a Hickory 10 m. diam. bear S 85 W 7 lks. dist. of
 76.15 Let meander post on left bank of River from which
 a W. Ash 8 m. diam. bear North 7 lks. dist. of
 a Do. 4 " " " S 3 E 14 " "
 80.25 to Sec. Corner.

North Between Sec. 3 & 4

5.50 Let meander post on Right bank of river from which
 a W. Elm 15 m. diam. bear S 56 E 18 lks. dist. of
 a Beech 20 " " " N 50 E 16 " "
 38.60 Let meander post on Right bank of river from which
 a Poplar 12 m. diam. bear North 2 lks. dist. of
 a Do 10 " " " South 55 " "
 51.00 Let meander post on left bank of river, from which
 aycamow 36 m. diam. bear N 51 E 14 lks. dist. of
 a Poplar 6 " " " S 51 E 33 " "
 82.00 Intersected the N. boundary 100 lks. N. of post
 Let a post Cor. to Sec. 3 & 4, no bearing trees
 (Description of land &c. Omitted) Oct. 7th 1819

North Between Sec. 32 & 33

25.30 a Beech 12 m. diam.
 40.00 Let of. Sec. post, from which
 a Beech 24 m. diam. bear N 71 E 22 lks. dist. of
 a Do. 6 " " " S 86 W 28 " "
 62.42 a Red Oak 18 " "
 80.00 Let post Cor. to Sec. 28, 29, 32 & 33, from which
 a Beech 12 m. diam. bear North 16 lks. dist. of
 a Do. 15 " " " N 17 E 33 " "
 Shilly 3^d Gate land, Beech, Oak, Hickory &c.
 Undergth. Hogwood & Beech

East On Random between Sec. 28 & 33

T9 N. R5 E. 2^d. Mer. Indiana

40.00 Set temp^y. of Sec. post

81.74 Intersected the N & S. line 36 l^{hs}. S. of post
Hilly 3^d. rate land, Beech, Oak, Hickory &c.
undergth. Dogwood & Spruce

Met Corrected between Sec^s. 28 & 33

40.97 Set of Sec. post at average dist. from which
a Beech 10 m. dist. by East 4 l^{hs}. dist. of
a Do. 8 " " " S 73^d 11th 23 " "

81.74 to Sec. Corner

North Between Sec^s. 28 & 29

29.30 a Hickory 24 m. dist.

40.00 Set of Sec. post, from which
a Beech 24 m. dist. by N 29 E 26 l^{hs}. dist. of
a Hickory 6 " " " South 9 " "

60.68 a Beech 12 " "

80.00 Set post Cor. to Sec^s. 20, 21, 28 & 29, from which
a Beech 30 m. dist. by N 32 E 20 l^{hs}. dist. of
a Do. 4 " " " N 67^d 11th 9 " "
Broken 3^d. rate land, Beech, Oak, Hickory &c

East On Rand^m. between Sec^s. 21 & 28

40.00 Set temp^y. of Sec. post

81.74 Intersected the N & S. line 45 l^{hs}. S. of post
Hilly 3^d. rate land, Beech, Gum, Oak, Hickory
undergth. Beech.

Met Corrected between Sec^s. 21 & 28

40.87 Set of Sec. post at average dist. from which
a Beech 18 m. dist. by S 72 E 9 l^{hs}. dist. of
a Do. 12 " " " S 15^d 11th 22 " "

81.74 to Sec. Corner.

T9N R5E 2^d. Mer. Indiana

25

North Between Sec. 20 & 21

23.00 a W Oak 20 in. diam.

40.00 Let q. Sec. post, from which
a Beech 15 in. diam. bray S 77 E 16 lks. dist. of
a Do. 18 " " " S 18 E 11 " .

58.35 a Sweet Gum 24 " .

80.00 Let post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 10 in. diam. bray N 64 E 13 lks. dist. of
a Do. 12 " " " S 45 E 24 " .

First 1/2 mile hilly, last 1/2 mile flat 3^d rate
Beech, Oak, Hickory, Gum, undg. Ironwood

East On Rand^m. between Sec. 16 & 21

40.00 Let temp. q. Sec. post

81.82 Intersected the N & S. line at the post
Level 2^d rate land, Beech, Sugar, Poplar &
undergrowth Spice.

West Corrected between Sec. 16 & 21

40.91 Let q. Sec. post at average dist. from which
a Sugar 12 in. diam. bray S 81 E 12 lks. dist. of
a Do. 12 " " " N 82 W 11 " .

81.82 to Sec. Corner Oct. 8th 1819

North Between Sec. 16 & 17

26.67 a Beech 18 in. diam.

40.00 Let q. Sec. post, from which
a W. Walnut 8 in. diam. bray S 7 E 5 lks. dist. of
a Beech 12 " " " N 23 W 10 " .

70.33 a Red Oak 24 " .

80.00 Let post Cor. to Sec. 8, 9, 16 & 17, from which
a Hickory 18 in. diam. bray South 32 lks. dist. of
a Sugar 8 " " " N 5 E 22 " .

T9N-R5E-2.nd Mer. Indiana

Hilly 3rd rate land, Beech, Hickory, Oak
Gum, undergth Ironwood &c.

East On Rand^m. between Sec^s. 9 & 16

40.00 Let temp^y. g^r. Sec. post

64.30 to W. bank of Driftwood River

70.15 to E. bank of do. do

81.90 Intersected the Nth. line 31 lks. S. of post
Level 1st rate land, Beech, Sugar, Oak, Ash
Poplar &c. undergth Spice

West Corrected between Sec^s. 9 & 16

11.75 Let post on left bank of River on a point
Covered with small willow - no bearing trees

17.60 Let post on right bank of River, from which
a W. Elm 30 m. dia. brang S 31 E 10 lks. dist. of
a Hackberry 12 " " " N 44 W 5 " "

40.95 Let g^r. Sec. post at average dist. from which
a Beech 12 m. dia. brang S 79 E 10 lks. dist. of
a do. 11 " " " N 63 W 21 " "

81.90 to Sec. Corner.

North Between Sections 8 & 9

26.43 a Beech 12 m. dia.

40.00 Let g^r. Sec. post, from which

a Beech 10 m. dia. brang N 39 E 18 lks. dist. of

a W. Oak 36 " " " N 27 W 15 " "

50.00 enter new fallen timber

80.00 Let post cor. to Sec^s. 4, 5, 8, 9, from which

a Hickory 18 m. dia. brang S 75 E 12 lks. dist. of

a Beech 15 " " " N 68 W 17 " "

Broken 3rd rate land, Oak, Beech, Hickory Gum &c.
undergrowth, Hornbeam, Beech &c.

T9 N R5 E. 2^d. Mer. Indiana 27

East On Rand^m. between Sec^s. 4 & 9

- 21.00 left fallen timber
 40.00 Set temp^y. of Sec. post
 79.00 to West bank of Driftwood River
 81.76 Intersected the N & S. line 28 lks. S. of post (in
 the River) Broken 3^d. rate land, Beech, Oak
 Hickory &c. undergth. Beech, Dogwood &c.
-

West Corrected between Sec^s. 4 & 9

- 2.76 Set meander post on right bank of River, from which
 a Lycamore 20 in. dia^r. bran N60°W 13 lks. dist. of
 a Co. 36 " " " N50°W 17 " "
 40.88 Set of. Sec. post at average dist. from which
 a W. Oak 24 in. dia^r. bran N62°E 27 lks. dist. of
 a B. Oak 20 " " " N41°W 21 " "
 81.76 to Sec. Corner.
-

North Between Sec^s. 4 & 5

- 25.00 left fallen timber
 40.00 Set of. Sec. post, from which
 a Beech 15 in. dia^r. bran S26°E 15 lks. dist. of
 a Co. 12 " " " N47°W 32 " "
 60.80 a Beech 30 " "
 81.90 Intersected the N. boundary 25 lks. W. of post
 Set a post Cor. to Sec^s. 4 & 5, from which
 a Poplar 4 in. dia^r. bran S25°W 8 lks. dist. of
 a Beech 10 " " " N63°E 22 " "
 Broken 3^d. rate land, Beech, Oak, Hickory
 undergth. Dogwood &c. Oct. 9th. 1819
-

North Between Sec^s. 31 & 32

- 18.75 a Hickory 15 in. dia^r.
 40.00 Set of. Sec. post, from which

T9 N - R5 E. 2^d Mer. Indiana

- a Red Oak 32 in. dia. bears N 20 W 15 lbs. dist. of
 a Do. 20 " " " S 10 E 26 " "
 60.63 a Hickory 15 " "
 80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 10 in. dia. bears N 15 E 10 lbs. dist. of
 a Do. 6 " " " S 34 E 17 " "
 Level 2^d rate land, Beech, Oak, Ash &c.
 undergth Spruce &c.
-

East On Land^m between Sec. 29 & 32

- 40.00 Set temp^y. of Sec. post
 80.30 Intersected the N of S. line 132 lbs. S. of post
 Broken 3^d rate land Beech, Oak, Hickory
 Ash &c. undergth Dogwood
-

West Connected between Sec. 29 & 32

- 40.15 Set of Sec. post at average dist. from which
 a Beech 8 in. dia. bears N 7 W 9 lbs. dist. of
 a W. Oak 20 " " " S 55 W 4 " "
 80.30 to Section Corner
-

West Between Sec. 30 & 31.

- 19.10 a Poplar 48 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 18 in. dia. bears S 14 E 14 lbs. dist. of
 a Do. 30 " " " N 35 E 23 " "
 69.86 a Beech 10 " "
 81.14 Intersected the W. boundary 1.50 lbs. N. of post
 Set post Cor. to Sec. 30 & 31, from which
 a Hickory 10 in. dia. bears S 75 E 14 lbs. dist. of
 a Do. 14 " " " S 35 E 5 " "
 Broken 3^d rate land Beech Oak Hickory &c.
 Undergrowth Ironwood Dogwood

Township 5 E. T. Mer. Indiana

29

North Between Secs. 29 & 30.

24.75 a Poplar 40 in. dia.

40.00 Set q. Sec. post. from which
a Beech 15 in. dia. bears N 30 W 6 lks. dist. &
a No. 18 " " " S 6 E 17 " "

61.40 a Beech 16 " "

80.00 Set post Cor. to Secs. 19, 20, 29 & 30, from which
a Gum 20 in. dia. bears N 70 W 16 lks. dist. &
a Hickory 24 " " " S 76 E 20 " "
Broken 3. rate Land

East On Random between Secs. 20 & 29.

10.00 Set temp. q. Sec. post

80.20 Intersected the N. & S. line 88 lks. South of post
Broken 3. rate land Beech Hickory Oak &c.
undergrowth Nogwood

West Corrected between Secs. 20 & 29.

40.10 Set q. Sec. post, at average dist. from which
a Hickory 24 in. dia. bears S 42 W 21 lks. dist. &
a Beech 18 " " " S 5 E 12 " "

80.20 to Section Corner

West Between Secs. 19 & 30.

20.00 a Beech 3 in. dia.

40.00 Set q. Sec. post, from which
a Beech 30 in. dia. bears S 78 E 15 lks. dist. &
a No. 10 " " " S 46 W 23 " "

54.70 a Hickory 30 " "

81.45 Intersected the W. boundary 1.15 lks. North of post.
Set a post Cor. to Secs. 19 & 30, from which
a W. Oak 36 in. dia. bears South 13 lks. dist. &
a W. Oak 20 " " " N 3 W 25 " "

T⁹N. R⁵E. 2^d. Mer. Indiana

Hilly 3^d. rate land Oak Beech Hickory &c.
undergrowth Oak, Dogwood

North Between Sec^s. 19 & 20.

34.32 a Beech 20 in. dia.

40.00 Set q. Sec. post, from which
a W. Oak 36 in. dia. bears S 46 W 21 lbs. dist. 4
a Beech 20 " " " N 40 E 37 " "

68.42 a Poplar 36 " "

80.00 Set post Cor. to Sec^s. 17, 18, 19 & 20, from which
a Beech 12 in. dia. bears S 66 W 30 lbs. dist. 8
a W. Oak 18 " " " S 59 E 14 " "

Hilly 3^d. rate land Oak Beech Hickory Poplar &c.
undergrowth Dogwood Beech

East On Landⁿ. between Sec^s. 17 & 20

40.00 Set temp^y. q. Sec. post

80.28 Intersected the N & S. line 110 lbs. South of post
Broken 3^d. rate Beech land, undergth. Beech
Dogwood &c.

West Connected between Sec^s. 17 & 20

40.14 Set q. Sec. post, at average dist from which
a Beech 12 in. dia. bears N 22 W 10 lbs. dist. 4
a W. 15 " " " N 42 E 19 " "

80.28 to Sec. Corner.

West Between Sec^s. 18 & 19

20.90 a Hickory 10 in. dia.

40.00 Set q. Sec. post, from which
a Sugar 6 in. dia. bears North 4 lbs. dist. 4
a W. Oak 20 " " " S 13 E 17 " "

60.60 a Hickory 24 " "

82.16 Intersected the N. boundary at the post
 Shely 3^d. rate land, Beech, Oak, Hickory
 &c. undug. Ironw. Oct. 10th 1819

North Between Sec. 17 & 18

15.03 a Beech 18 in. dia.

40.00 Let q. Sec. post from which
 a Beech 18 in. dia. bray S 24 E 20 lns. dist. of
 a No. 15 " " " S 40 W 20 " "

71.63 a Beech 18 " "

80.00 Let post Cor. to Sec. 7, 8, 17 & 18, from which
 a Gum 30 in. dia. bray S 70 W 20 lns. dist. of
 a No. 18 " " " S 83 E 19 " "
 Broken 3^d. rate land, Beech, Oak, Gum &c.
 undug^m. Ironwood &c.

East On Random between Sec. 8 & 17

40.00 Let temp. q. Sec. post

79.98 Intersected the N. & S. line 160 lns. S. of post
 Broken 3^d. rate land, Oak, Beech, Hickory
 Ash, undug^m. Beech, Ironwood &c.

West Corrected between Sec. 8 & 17

39.99 Let q. Sec. post at average dist. from which
 a W. Ash 6 in. dia. bray S 60 W 38 lns. dist. of
 a Maple 6 " " " South 31 " "

79.98 to Sec. Corner.

West Between Sec. 7 & 18

18.60 a Gum 18 in. dia.

40.00 Let q. Sec. post, from which
 a Beech 8 in. dia. bray S 14 W 6 lns. dist. of
 a W. Elm 8 " " " East 25 " "

T9 N R5 E. T. Mer. Indiana

- 57.38 a Beech 16 in. dia.
 82.20 Intersected the N. boundary 100 lks. N. of post
 Set a post Cor. to Sec. 7 & 18, from which
 a Beech 12 in. dia. bray N 30 E 16 lks. dist. &
 a Ch. Oak 12 " " " S 20 E 7 " "
 Gilly 3rd rate land Beech, Oak, Hickory
 &c. undergth Ironwood, Beech &c.
-

- North Between Sec. 7 & 8
 28.83 a Beech 18 in. dia.
 40.00 Set q. Sec. post from which
 a Beech 12 in. dia. bray S 28 W 15 lks. dist. &
 a W. Oak 18 " " " N 72 E 21 " "
 63.55 a Beech 8 " "
 75.00 enter fallen timber
 80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
 a Beech 8 in. dia. bray West 2 lks. dist. &
 a Do. 15 " " " S 72 E 35 " "
 Broken 3rd rate land, Beech, Oak, Hickory &c.
-

- East On Rand^m between Sec. 5 & 8
 40.00 Set temp. q. Sec. post
 80.16 Intersected the S. line 150 lks. S. of post
 Gilly 3rd rate land, Oak, Beech, Hickory, Gum &c.
-

- West Corrected between Sec. 5 & 8
 40.08 Set q. Sec. post at average dist. from which
 a Gum 12 in. dia. bray N 46 W 24 lks. dist. &
 a Beech 12 " " " S 81 W 16 " "
 80.16 to Sec. Corner.
-

- West Between Sec. 6 & 7
 16.75 a Poplar 30 in. dia.

Sg. N. R5 E. 2^d Mer. Indiana

33

- 40.00 Set of Sec. post, from which
a Sugar 10 m. dia. tray S 80 E 14 Ch. dist. of
a Beech 30 " " " S 26 E 11 " "
- 61.73 a Beech 12 " "
- 82.25 Intersected N. boundary 201 Ch. N. of post
Set post Cor. to Sec. 5 of 6, from which
a Gum 24 m. dia. tray North 15 Ch. dist. of
a Dogwood 6 " " " S 60 W 15 " "
Broken 3^d rate land, Beech, Oak, Hickory
Gum &c. undgth Dogwood & Spruce

North Between Sec. 5 of 6.

- 21.13 a Beech 14 m. dia.
- 40.00 Set of Sec. post, from which
a Dogwood 6 m. dia. tray N 25 E 18 Ch. dist. of
a Do. 6 " " " S 15 W 16 " "
- 53.00 leave fallen timber
- 60.40 a W. Elm 18 m. dia.
- 83.00 Intersected the N. boundary 160 Ch. E. of post
Set post Cor. to Sec. 5 of 6, from which
a Beech 20 m. dia. tray N 70 E 25 Ch. dist. of
a Sugar 36 " " " S 63 W 20 " "
Broken 3^d rate land, Beech, Oak, Hickory
&c. undgth Dogwood &c. Oct. 11th 1819

Meander of Driftwood Fork of White River
Commencing at Corner of Township 8 of 9 North
Range 5 of 6 East; Thence up stream right bank

- | | | |
|--------|-------|------------|
| N 65 W | 9.82 | in Sec. 36 |
| N 5 W | 10.32 | |
| N 30 E | 13.50 | |
| N 15 W | 9.12 | |
| N 59 W | 7.50 | |

T9N R5E. 2^d. Mer. Indiana

N42W 22.94

N6E 11.60 l

----- to line between Sec. 25 & 36

N47E 8.94 in Sec. 25

North 16.45

N85W 10.00

N57W 22.76

N64W 13.65

N18W 13.26

N20E 15.00

North 5.00

----- to line between Sec. 24 & 25

in Sec. 24

----- to line between Sec. 23 & 24

N28W 7.80 in Sec. 23

N10W 16.81 Opposite the mouth of Flat rock

S75W 5.15

S44W 13.00

S61W 16.33

S44W 7.42

S27W 10.30

S88W 15.27

N33W 15.00

N14W 12.30

N37E 7.00

----- to line between Sec. 22 & 23

West 10.70 in Sec. 22

S25W 9.00

N83W 14.68

35

T9 N R5 E. 2nd Mer. Indiana

N45 W 27.50

N79 W 15.25

N69 W 12.18

N35 E 10.00

North 6.50

N25 E 12.30

N10 E 9.00

----- to line between Sec. 15 & 22

N79 W 12.28 in Sec. 15

N54 E 13.30

N36 E 13.40

N53 W 8.00

Met 12.00

----- to line between Sec. 15 & 16
October 12th 1819

N53 W 12.00 in Sec. 16

N8 W 18.00

N20 W 8.00

----- to line between Sec. 9 & 16

N15 W 20.00 in Sec. 9

North 22.50

N5 E 16.75

----- to line between Sec. 4 & 9

in Sec. 4

----- to line between Sec. 3 & 4

N20 E 12.00 in Sec. 3

----- to line between Sec. 3 & 4

T9 N. R5 E. T^r. Mer. IndianaN15⁴W 10.50 in. Sec. 4N22⁴W 7.80

North 8.00

----- to post on the N. boundary

Meanders of the Left Bank of the
 Driftwood Fork of White River, from
 post on the line between Ranges 5 & 6 E.
 thence up stream

N62⁴W 6.50 in Sec. 36.N5⁴W 10.00N29⁶E 13.60N15⁴W 9.25N59⁴W 8.00N42⁴W 22.75N4⁶E 11.66

----- to line between Sec. 25 & 36

N46⁶E 9.00 in Sec. 25

North 16.50

N86⁴W 10.00N57⁴W 22.80N63⁴W 13.70N17⁴W 13.20N20⁶E 15.00

North 10.80

----- to line between Sec. 24 & 25
 October 13th 1819

N25⁴W 9.00 in Sec. 24

----- to line between Sec. 23 & 24

N24⁴W 18.00 in Sec. 23
 to mouth of flat Rock 100 lbs. wide comes
 from East

T9N-R5E. 2nd Mer. Indiana

37

S76W 5.20
 S44W 12.90
 N61W 16.33
 S44W 7.50
 S28W 10.25
 S88W 15.30
 S84W 14.90
 N13W 12.30
 N38E 7.25

----- to line between Sec. 22 & 23

West 10.78 in Sec. 22.
 S26W 9.40
 N82W 14.60
 S46W 27.00
 N79W 15.00
 N6W 12.00
 N36E 10.00
 North 6.75
 N25W 12.00

----- to line between Sec. 15 & 22

N6W 12.20 in Sec. 15
 N38E 10.00
 N56E 6.00
 N36E 12.00
 N52W 8.25
 West 12.50

----- to line between Sec. 15 & 16

N52W 11.75 in Sec. 16.
 N8W 17.50
 N19W 8.25

T9N R5E 2^d Mer. Indiana

-----		to line between Sec. 9 & 16
N14W	20.00	in Sec. 9
North	23.00	
N5E	16.00	
-----		to line between Sec. 9 & 10
		in Sec 10
-----		to line between Sec. 3 & 10
N22E	18.00	in Sec. 3
N3E	9.00	
-----		to line between Sec. 3 & 4
N20W	11.50	in Sec. 4
-----		to where the Town line crosses the River. Oct. 14 th 1849 Surveyed by Bethuel F. Morris, D.S.

Note—The foregoing Meanders are of but little value in making the Calculations, as the last Course and distance in each Section is left blank.

S. Monison

I hereby Certify that the foregoing transcript of field notes of township N. 9 N, Range N. 5 E, 2^d Mer. Ind. has been Compared with the original notes in this Office, and found to be Correct.

Surveyor General's Office
Cincinnati, Feb. 28. 1842

E. B. Peaies

Sur. Genl.